



## Image 3

universal bed with low height and excellent design



# Image 3

## low height and exceptional design

Image 3, electrically adjustable bed respects the growing demands of the patient and nursing staff. Its attractive design will find universal use in a whole spectrum of hospital care. Image 3 deals with the patient's safety and mobilisation in a unique way: combining the split telescopic siderails and reduced low height.





### SAFETY

Reduced height of 28 cm significantly decreases risks connected with adverse events. Full length split telescopic siderail with multiple height adjustment possibilities allows choosing level of protection and matches the individual needs of each patient.

### EASY MOBILIZATION

Split telescopic siderail with integrated mobilization handle creates a supportive feature for independent or assisted mobilization. Mobilization position button placed on Supervisor control panel saves time and effort of nursing staff. Moreover, the bed automatically indicates the mobilization position at 42cm of height and stops at optimum egress level.

### EXCEPTIONAL DESIGN

The solid construction and massive features for good handling of the Image 3 bed is combined with its elegant harmonious contours and colours. It combines ergonomics with functionality and beauty, and meets the most demanding requirements placed on hospital bed design.

### UNIVERSAL USE

Ergoframe mattress platform reduces the pressure applied to the pelvic area tissues during positioning and reduces friction between the skin on the patient's back and the mattress.

Large and flat surfaces, removable mattress platform parts, perfect cable management eases daily activities connected with cleaning procedures.

# Image 3


## universal hospital bed



**CPR HANDLE FOR MECHANICAL RELEASE** of back rest is placed in the middle of the bed so it is easy to reach.



**FOLDABLE MATTRESS RETAINERS** allows to adjust for different mattress width.



**3D DESIGN BUMPER** protects the bed both from horizontal and vertical damage.



**DESIGN LINEN HOLDER** could be easily used as a storage for Supervisor control panel.

### TECHNICAL PARAMETERS

External dimension	104×221 cm
Mattress dimension	200×86/90 cm
Clearance height	13/ 15,5 cm
Mattress platform height adjustment	28–80/30–82 cm
Bed extension	10, 22, 30 cm
Height of siderails	40 cm (split siderails); 39 cm (single collapsible siderails)
Maximum mattress height	18cm (split siderails); 17cm (single collapsible siderails)
Safe working load	250 kg
Weight of bed	145 kg according to accessories
Backrest angle	0–70°
Thigh rest angle	0–34°
TR/ATR angle	0–14°

### ELECTRICAL PARAMETERS

Power supply	230 V/ ±10 %
Maximum input	max 1.6 A, 370 VA
Water and dust protection level	IPX4

### CERTIFICATES

Linet is a company certified under European norms and quality systems:  
EN ISO 9001, EN ISO 13485,  
EN ISO 14001

The products are produced under European norms for medical technology and hospital beds:  
EN 60601-1 ed.3; EN 60601-1-2 ed.3;  
EN 60601-1-6; EN 60601-2-52



Želevčice 5, 274 01 Slaný, Czech Republic

tel.: +420 312 576 111, fax: +420 312 522 668, e-mail: info@linet.com, www.linet.com